

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Light-emitting-diode Drivers

COMPANY

MEAN WELL ENTERPRISES CO LTD

No 28 Wuquan 3rd Rd
Wugu District
New Taipei City, 24891 Taiwan

E334687

View model for additional information

Model(s): HLG-100H-24COO, HLG-240H-54COO, HLG-240H-54COO3, HLG-80H-12BL, HLG-80H-15BL, HLG-80H-20BL, HLG-80H-24BL, HLG-80H-30BL, HLG-80H-36BL, HLG-80H-42BL, HLG-80H-48BL, HLG-80H-54BL, OWA-120U-12, OWA-120U-15, OWA-120U-20, OWA-120U-24, OWA-120U-30, OWA-120U-36, OWA-120U-42, OWA-120U-48, OWA-120U-54, PLN-100-24

Model(s): HLG-100H-24COO where x may be blank, B or DA.

Model(s): HLG-480H-24COO where x may be blank, B or DA.

Model(s): HLG-480H-54COO where x may be blank, B or DA.

Model(s): HLG-480H-54COO3 where x may be blank, B or DA.

Model(s): OWA-60X-Y, where X may be U, Y may be 12, 15, 20, 24, 27, 28, 30, 36

Model(s): OWA-60X-Y, where X may be U, Y may be 42, 42IC1, 48 or 54

Model(s): OWA-90X-Y, where X may be U, Y may be 12, 15

Model(s): OWA-90X-YZ, where X may be U, Y may be 20, 24, 30, 36, and Z may be blank or -PIM

Model(s): OWA-90X-YZ, where X may be U, Y may be 42, 48 or 54 and Z may be blank - PIM

Model(s): XLG-100-12-Y-CP where Y may be Blank, A or AB.

Model(s): XLG-100-24-Y-CP where Y may be Blank, A or AB.

Model(s): XLG-100-H-Y-CP where Y may be Blank, P, A or AB.

Model(s): XLG-100-L-Y-CP where Y may be Blank, P, A or AB.

Model(s): XLN-25-x-y, XLN-40-x-y, XLC-25-x-ysz, XLC-40-x-ysz where x may be 12, 24 or H, y may be Blank, B or DA2 when y=B or DA2, x is for H only, s may be blank or S, z may be Blank or N when z=N, x is for H only.

Model(s): XLN-25-x-y-CP, XLN-40-x-y-CP, XLC-25-x-ysz-CP, XLC-40-x-ysz-CP where x may be 12, 24 or H, y may be Blank, B or DA2 when y=B or DA2, x is for H only, s may be blank or S, z may be Blank or N when z=N, x is for H only. CP may be blank.

Model(s): XLN-60-x-y, XLC-60-x-ysz* where x may be 12, 24, 48 or H, y may be Blank, B or DA2, s may be blank or S z may be Blank or N when z=N, x is for H only, * may be blank or any alphanumeric for marketing purposes.

(%) - Where Z can be blank, A, B or AB.

(a) - Where X may be 24, 36, 48 or 54 and Y may be A, B, AB, E or blank.

(b) - X may be 350, 500, 700, 1050 or 1400. Y may be blank, A, B, D, AB, AD2, ADA, D2 or DA for marketing purposes only.

* - Where Z can be blank, A or B.

+ - Where Z can be blank, A, B or C.

Last Updated on 2024-05-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Light-emitting-diode Drivers Certified for Canada

COMPANY

MEAN WELL ENTERPRISES CO LTD

No 28 Wuquan 3rd Rd
Wugu District
New Taipei City, 24891 Taiwan

E334687

View model for additional information

Model(s): HLG-100H-24COO, HLG-240H-54COO, HLG-240H-54COO3, HLG-80H-12BL, HLG-80H-15BL, HLG-80H-20BL, HLG-80H-24BL, HLG-80H-30BL, HLG-80H-36BL, HLG-80H-42BL, HLG-80H-48BL, HLG-80H-54BL, OWA-120U-12, OWA-120U-15, OWA-120U-20, OWA-120U-24, OWA-120U-30, OWA-120U-36, OWA-120U-42, OWA-120U-48, OWA-120U-54, PLN-100-24

Model(s): HLG-100H-24COO where x may be blank, B or DA.

Model(s): HLG-480H-24COO where x may be blank, B or DA.

Model(s): HLG-480H-54COO where x may be blank, B or DA.

Model(s): HLG-480H-54COO3 where x may be blank, B or DA.

Model(s): OWA-60X-Y, where X may be U, Y may be 12, 15, 20, 24, 27, 28, 30, 36

Model(s): OWA-90X-Y, where X may be U, Y may be 12, 15

Model(s): OWA-90X-YZ, where X may be U, Y may be 20, 24, 30, 36, and Z may be blank or -PIM

Model(s): XLG-100-12-Y-CP where Y may be Blank, A or AB.

Model(s): XLG-100-24-Y-CP where Y may be Blank, A or AB.

Model(s): XLG-100-H-Y-CP where Y may be Blank, P, A or AB.

Model(s): XLG-100-L-Y-CP where Y may be Blank, P, A or AB.

Model(s): XLN-25-x-y, XLN-40-x-y, XLC-25-x-ysz, XLC-40-x-ysz where x may be 12, 24 or H, y may be Blank, B or DA2 when y=B or DA2, x is for H only, s may be blank or S, z may be Blank or N when z=N, x is for H only.

Model(s): XLN-25-x-y-CP, XLN-40-x-y-CP, XLC-25-x-ysz-CP, XLC-40-x-ysz-CP where x may be 12, 24 or H, y may be Blank, B or DA2 when y=B or DA2, x is for H only, s may be blank or S, z may be Blank or N when z=N, x is for H only. CP may be blank.

Model(s): XLN-60-x-y, XLC-60-x-ysz* where x may be 12, 24, 48 or H, y may be Blank, B or DA2, s may be blank or S z may be Blank or N when z=N, x is for H only, * may be blank or any alphanumeric for marketing purposes.

(%) - Where Z can be blank, A, B or AB.

(a) - Where X may be 24, 36, 48 or 54 and Y may be A, B, AB, E or blank.

(b) - X may be 350, 500, 700, 1050 or 1400. Y may be blank, A, B, D, AB, AD2, ADA, D2 or DA for marketing purposes only.

* - Where Z can be blank, A or B.

+ - Where Z can be blank, A, B or C.

Last Updated on 2024-05-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."